This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Appl. No.

: 09/913,799

Filed

December 31, 2001

AMENDMENTS TO THE CLAIMS

Please amend the Claims as follows. Insertions are shown <u>underlined</u> while deletions are struck through.

1 (currently amended): A drink, which comprises desalted seawater to which water-soluble mineral components are added, wherein said water-soluble mineral components are magnesium and calcium obtained from seawater.

- 2 (canceled)
- 3 (currently amended): The drink as claimed in Claim 21, wherein said water-soluble mineral components magnesium and calcium are derived from the seawater from which said desalted seawater is obtained.
 - 4 (canceled)
- 5 (currently amended): The drink as claimed in Claim-4_1, wherein the weight ratio of magnesium to calcium (Mg/Ca) is adjusted to 4/1 to 1/3.
- 6 (previously presented): The drink as claimed in Claim 5, wherein the weight ratio of magnesium to calcium (Mg/Ca) is adjusted to 3/1.
- 7 (previously presented): The drink as claimed in Claim 1, which has a hardness of water of 100 to 3,000 as measured by the EDTA method.
- 8 (currently amended): The drink as claimed in Claim 7, wherein the hardness of water is from 250 or 1,000.
- 9 (previously presented): The drink as claimed in Claim 1, further comprising sugar or sour flavors for adjusting the taste.
- 10 (previously presented): The drink as claimed in Claim 1, wherein said seawater subjected to desalinization is surface water.
- 11 (previously presented): The drink as claimed in Claim 1, wherein said seawater subjected to desalinization is deep water.
- 12 (currently amended): The <u>drinksdrink</u> as claimed in Claim 11, wherein said seawater is deep water obtained at a depth greater than 100m.
- 13 (previously presented): The drink as claimed in Claim 12, wherein said seawater is deep water obtained at a depth of 200 to 500m.
 - 14 (currently amended): A method for producing a drink, comprising the steps of:

Appl. No.

: 09/913,799

Filed

December 31, 2001

collecting seawater;

:

separating the seawater into water and a concentrate by desalting; and adding to said separated water either one of (i) the concentrate or (ii) water-soluble mineral components obtained from said concentrate or another seawater concentrate, wherein said mineral components are magnesium and calcium.

15 (previously presented): The method for producing a drink as claimed in Claim 14, wherein the seawater is deep water obtained at a depth greater than 100m.

16 (previously presented): The method for producing a drink as claimed in Claim 15, wherein the seawater is deep water obtained at a depth of 200 to 500m.

17 (canceled)

18 (currently amended): The method for producing a drink as claimed in Claim 1714, wherein the magnesium and calcium are added to adjust the drink's—weight ratio of magnesium to calcium (Mg/Ca) to 4/1 to 1/3.

19 (currently amended): The method for producing a drink as claimed in Claim 1718, wherein the weight ratio of magnesium to calcium (Mg/Ca) is adjusted to 3/1.

20 (currently amended): The method for producing a drink as claimed in Claim 14, wherein the desalination is conducted to adjust the drink's a hardness of water to 100 to 3,000 as measured by the EDTA method.

21 (currently amended): The method for producing a drink as claimed in Claim 1520, wherein the hardness of water is adjusted to 250 or 1,000.

22 (previously presented): The method for producing a drink as claimed in Claim 14, wherein the seawater subjected to desalinization is surface water.